


Artisan




Colours



MEL01075
Biscayne Bay



MEL01076
Carriage House




MEL01081
BW Stout




BW Stout


Coordinating Moldings | 78" Length



T-Mold



Flush Reducer




Flush Stair Nose



Artisan

Martin & Co.
Floors For Life



Features

- Tongue & Groove Installation System
- Kid & Pet Friendly
- Micro Bevel
- Brushed / Hand-Scraped Surface
- Radiant Heat Approved
- 2mm Sawn Veneer
- Hickory and Walnut



Product Information

Product	Artisan Engineered Hardwood
Construction	12-ply Engineered
Dimensions	19mm x 7.5" x 84"
Product Thickness	19mm (3/4")
Suitable Installation	Staple, Nail, Glue, Float
Venner	2mm Sawn
Warranty	30-Year Residential

Testing

Classification	Method	Result
Classification of the Surface Layer	EN 13489	Free Class
Class	Barlinek	Various Class ●●●○○
Healthy Knots	EN 13489	Acceptable, without limit
Thickness of the Board's Surface Layer	EN 13647	Actual 2mm (Nominal 0,078")
Thickness of the Board's Core	EN 13647	Actual 17mm (Nominal 0,669")
Dent Resistance	Janka	650-1000 kG/cm ² (rating IV, hardwood)
Finish Surface Layer	Gardner Scale	Gloss Level 7° - 11°

Packaging Information

	Length (mm)	Width (mm)	Thickness (mm)	Sq. ft.	Height (mm)	Volume (m ³)	# of carton per Pallet	Weight (lb.)
Plank	2133	190.5	19					
Plank Carton	2140	194	120	22.08 per carton				
Plank Pallet	2200	1000	-	993.6 per pallet	1146	2.08	45	3217