



Coastline

Colours



REN5101
City Loft



REN2102
Harbour



REN1918
Sandbank



REN1912
Seaside



REN1875
Cavendish



REN232016
Big Sur



REN5103
Amalfi



REN5107
Acadia



REN232017
Cape Verde



REN5113
Milford Sound




Scan to visit product page



Coastline Plank

Martin & Co.
Floors For Life



Features

- Loose Lay or Glue Down Installation System
- Kid & Pet Friendly
- Square Edge Bevel
- Wood Grain Embossing
- Radiant Heat Approved
- Fiberglass Construction
- 12 mil Wear Layer



Product Information

Product	Coastline Plank Luxury Vinyl Flooring
Construction	Fiberglass vinyl
Dimensions	4.8mm x 7" x 48"
Product Thickness	4.8mm
Wear Layer Thickness	12 mil (0.3mm)
Finish	Aluminum Oxide Finish
Warranty	Lifetime Residential / 10 Year Commercial

Testing

Classification	Method	Result
Class	ASTM F1700	Class III, Type B - Embossed
Slip Resistance	ASTM C1028-07	Dry: 0.80; Wet: 0.71
Static Load	ASTM F970	Applied Load: 1000 psi, Residual Indentation: 0.04mm
STC	ASTM E90-09	71
IIC	ASTM E492-09	71
Dimensional Stability	ASTM F2199	Pass: ≤ 0.02 " per linear foot
Resistant to Chemicals	ASTM F925	Pass: Not affected
Abrasion	ASTM D4060	Test Revolutions: 1000, 0.004% mass loss
Antibacterial Activity	ASTM G21-15	Pass: No growth observed on specimens
Reaction to Fire	EN13501-1	Class B fl-s1
Critical Radiant Flux	ASTM E648	Pass, > 0.45 watts/cm ²
Concentration of Dibutyl Phthalate	ISO 16000	$< 1 \mu\text{g}/\text{m}^3$ after 28 days
Concentration of Diethylhexyl Phthalate	ISO 16000	$< 1 \mu\text{g}/\text{m}^3$ after 28 days
Flexibility	EN435	No Damage

Packaging Information

	Length (mm)	Width (mm)	Thickness (mm)	Sq. ft.	Height (mm)	Volume (m ³)	# of carton per Pallet	Weight (lb.)
Plank	1219	178	4.8					
Plank Carton	1233	187	48.5	23.33 per carton				
Plank Pallet	1240	990	-	1400 per pallet	830	1.02	60	2560

MELMART.COM