



Provincial Plank

Provincial Plank

Martin & Co.
Floors For Life

Colours



MEL901
Argyle



MEL902
Banff



MEL903
Sandbanks



MEL904
Cabot



MEL905
Pelee



MEL906
Jasper



MEL907
Long Point



MEL908
Killarney



MEL909
Algonquin



MEL910
Kootenay




MEL911
Killbear




Scan to visit product page

Coordinating Moldings



2-in-1 T-Mold / Reducer




Overlap Nosing



Provincial Plank



Martin & Co.
Floors For Life



Features

- Uniclic Locking System
- Kid & Pet Friendly
- Cut Painted Bevel
- TruWood Texture
- Radiant Heat Approved
- EVA Pad
- 20 mil Wear Layer



Product Information

Product	Provincial Plank Luxury Vinyl Flooring
Construction	SPC (Stone Polymer Composite) vinyl
Dimensions	8mm x 7.2" x 60"
Product Thickness	8mm (6.5mm core +1.5mm pad)
Wear Layer Thickness	20 mil (0.5mm)
Finish	Aluminum Oxide Finish
Warranty	Lifetime Residential / 5 Year Commercial

Testing

Classification	Method	Result
Class	ASTM F1700	Class III, Type B - Embossed
Slip Resistance	ASTM C1028-07	Dry: 0.80; Wet: 0.71
Static Load	ASTM F970	Applied Load: 1000 psi, Residual Indentation: 0.04mm
STC	ASTM E90-09	71
IIC	ASTM E492-09	73
Dimensional Stability	ASTM F2199	Pass: ≤ 0.02 " per linear foot
Resistant to Chemicals	ASTM F925	Pass: Not affected
Abrasion	ASTM D4060	Test Revolutions: 1000, 0.004% mass loss
Antibacterial Activity	ASTM G21-15	Pass: No growth observed on specimens
Reaction to Fire	EN13501-1	Class B fl-s1
Critical Radiant Flux	ASTM E648	Pass, > 0.45 watts/cm ²
Concentration of Dibutyl Phthalate	ISO 16000	$< 1 \mu\text{g}/\text{m}^3$ after 28 days
Concentration of Diethylhexyl Phthalate	ISO 16000	$< 1 \mu\text{g}/\text{m}^3$ after 28 days
Flexibility	EN435	No Damage

Packaging Information

	Length (mm)	Width (mm)	Thickness (mm)	Sq. ft.	Height (mm)	Volume (m ³)	# of carton per Pallet	Weight (lb.)
Plank	1524	183	8					
Plank Carton	1530	194	67	17.97 per carton				
Plank Pallet	1524	1016	-	898.5 per pallet	814	0.994	50	2480