Shoreline XL

Martin & Co.
Floors For Life

Shoreline XL

Martin & Co.
Floors For Life

Colours

MEL5140
Maui

MEL5120
Malibu

MEL5130
Bondi

MEL5170
Santorini

MEL5150
Tulum

MEL5160
Bora Bora

Kid & Pet Friendly

Easy to Clean

10-year Commercial
Lifetime Residential

Scan to visit product page

floor score
CERTIFIED BY SCS Global Services

MELMART.COM

Shoreline XL

Martin & Co.
Floors For Life



Features

- Glue Down Installation System
- Kid & Pet Friendly
- Micro Bevel
- Overall Embossing
- Suitable On, Above, or Below Grade
- 22 mil Wear Layer

floor score
CERTIFIED BY SCS Global Services

Product Information

Product	Shoreline XL Luxury Vinyl Flooring
Construction	Dry Back / Loose Lay
Dimensions	5mm x 7'' x 60''
Product Thickness	5mm
Wear Layer Thickness	22 mil (0.55mm)
Finish	Aluminum Oxide Finish
Warranty	Lifetime Residential / 15-Year Commercial

Testing

Classification	Method	Result
Class	ASTM F1700	Class III, Type B - Embossed
Slip Resistance	ASTM C1028-07	Dry: 0.80; Wet: 0.71
Static Load	ASTM F970	Meets Guidelines
Dimensional Stability	ASTM F2199	Pass: ≤ 0.02'' per linear foot
Resistant to Chemicals	ASTM F925	Pass: Not affected
Abrasion	ASTM D4060	Test Revolutions: 1000, 0.004% mass loss
Antibacterial Activity	ASTM G21-15	Pass: No growth observed on specimens
Reaction to Fire	EN13501-1	Class B fl-s1
Critical Radiant Flux	ASTM E648	Pass, > 0.45 watts/cm^2
Smoke Density	ASTM E662	Pass
Static Coefficient of Friction	ASTM D2047	Pass
Flexibility	EN435	No Damage

Packaging Information

	Length (mm)	Width (mm)	Thickness (mm)	Sq. ft.	Height (mm)	# of carton per Pallet	Weight (lb.)
Plank	1524	178	5				
Plank Carton	1544	192	35	18.51 per carton			
Plank Pallet	1829	1016	-	1110.6 per pallet	579	60	2183